+1-833-KCA-LABS https://kcalabs.com KDA Lic.# P\_0058

1 of 5

mple ID: SA-230830-2651 tch: LAC82323 pe: In-Process Material atrix: Concentrate - Distill		Received: 08/24 Completed: 08/3		Client LOSDOZ LLC	
it Mass (g):					
			Summary		
			Test	Date Tested	Status
			Cannabinoids	08/29/2023	Tested
			Heavy Metals	08/30/2023	Passed
	1.1.0.0.0.00		Pesticides	08/29/2023	Passed
	LAC82323		Residual Solvent	s 08/25/2023	Passed
<b>90.7 %</b> Total Δ9-THC	<b>90.7 %</b> Д9-тнс та	<b>94.3 %</b> otal Cannabinoids	<b>Not Tested</b> Moisture Content	<b>Not Tested</b> Foreign Matter	<b>Yes</b> Internal Standard
	/ HPLC-PDA, LC-			Result	Result
alyte	LOD (%)		LOQ (%)	Result (%)	Result (mg/g)
alyte	LOD (%) 0.0095	C	LOQ (%) 0.0284	Result (%) ND	Result (mg/g) ND
alyte C CA	LOD (%) 0.0095 0.0181		LOQ (%) 0.0284 0.0543	Result (%) ND ND	Result (mg/g) ND ND
alyte C CA CV	LOD (%) 0.0095 0.0181 0.006	C	LOQ (%) 0.0284 0.0543 0.018	Result (%) ND ND ND	Result (mg/g) ND ND ND ND
alyte C CA CV D	LOD (%) 0.0095 0.0181		LOQ (%) 0.0284 0.0543	Result (%) ND ND ND 0.871	Result (mg/g) ND ND
alyte	LOD (%) 0.0095 0.0181 0.006 0.0081		LOQ (%) 0.0284 0.0543 0.018 0.0242	Result (%) ND ND ND	Result (mg/g) ND ND ND ND 8.71
alyte	LOD (%) 0.0095 0.0181 0.006 0.0081 0.0043		LOQ (%) 0.0284 0.0543 0.018 0.0242 0.013	Result (%) ND ND ND 0.871 ND	Result (mg/g)       ND
alyte C CA CV D DA DV DVA	LOD (%) 0.0095 0.0181 0.006 0.0081 0.0043 0.0061		LOQ (%) 0.0284 0.0543 0.018 0.0242 0.013 0.0182	Result     (%)       ND     ND       ND     0.871       ND     ND       ND     ND	Result (mg/g)       ND
alyte C CA CV D DA DV DVA G	LOD (%) 0.0095 0.0181 0.006 0.0081 0.0043 0.0061 0.0021		LOQ (%) 0.0284 0.0543 0.018 0.0242 0.013 0.0182 0.0063	Result     (%)       ND     ND       ND     0.871       ND     ND       ND     ND       ND     ND       ND     ND	Result (mg/g)       ND
alyte C CA CV D DA DV DVA G GA	LOD (%) 0.0095 0.0181 0.006 0.0081 0.0043 0.0061 0.0021 0.0021 0.0057		LOQ (%) 0.0284 0.0543 0.018 0.0242 0.013 0.0182 0.0063 0.0172	Result (%) ND ND ND 0.871 ND ND ND 0.189	Result (mg/g) ND ND ND 8.71 ND 8.71 ND ND ND 1.89
alyte C CA CV D DA DV DVA G GA L	LOD (%) 0.0095 0.0181 0.006 0.0081 0.0043 0.0061 0.0021 0.0021 0.0057 0.0049		LOQ (%) ).0284 ).0543 0.018 0.0242 0.013 0.0182 0.0063 0.0172 0.0147	Result     (%)       ND     ND       ND     0.871       ND     ND       ND     0.871       ND     0.189       ND     ND	Result (mg/g)       ND       ND       ND       ND       ND       ND       ND       ND       189       ND
alyte C CA CV D DA DV DVA G GA L LA	LOD (%) 0.0095 0.0181 0.006 0.0081 0.0043 0.0061 0.0021 0.0057 0.0049 0.0112		LOQ (%) 0.0284 0.0543 0.018 0.0242 0.013 0.0182 0.0063 0.0172 0.0147 0.0335	Result (%) ND ND ND 0.871 ND ND 0.89 ND ND ND	Result (mg/g)       ND       ND       ND       ND       ND       ND       ND       1.89       ND       ND       ND       ND
alyte C CA CV D DA DV DVA G GA L LA N	LOD (%) 0.0095 0.0181 0.006 0.0081 0.0043 0.0061 0.0021 0.0057 0.0049 0.0112 0.0124 0.0056 0.006		LOQ (%) ).0284 ).0543 0.018 ).0242 0.013 0.0182 0.0063 0.0172 0.0147 0.0335 0.0371	Result (%)       ND       ND       ND       ND       ND       0.871       ND	Result (mg/g)       ND       ND       ND       ND       ND       ND       1.89       ND
alyte C CA CV D DA DV DVA G GA L LA N NA T	LOD (%) 0.0095 0.0181 0.006 0.0081 0.0043 0.0061 0.0021 0.0057 0.0049 0.0112 0.0124 0.0056 0.006 0.006 0.018		LOQ (%) 0.0284 0.0543 0.018 0.0242 0.013 0.0182 0.0063 0.0172 0.0147 0.0335 0.0371 0.0169 0.0181 0.054	Result (%)       ND       ND       ND       ND       ND       0.871       ND	Result (mg/g)       ND
alyte C CA CV D DA DV DVA G GA L LA N NA T T-THC	LOD (%) 0.0095 0.0181 0.006 0.0081 0.0043 0.0061 0.0021 0.0057 0.0049 0.0112 0.0124 0.0056 0.006 0.008 0.018 0.0104		LOQ (%) 0.0284 0.0543 0.018 0.0242 0.013 0.0182 0.0063 0.0172 0.0172 0.0147 0.0335 0.0371 0.0169 0.0181 0.054 0.054 0.054	Result (%)       ND       ND       ND       ND       ND       0.871       ND       ND  <	Result (mg/g)       ND       ND  <
alyte C CA CV D DA DV DVA G GA L LA N NA T -THC -THCV	LOD (%) 0.0095 0.0181 0.006 0.0081 0.0043 0.0061 0.0021 0.0057 0.0049 0.0112 0.0124 0.0056 0.006 0.018 0.0104 0.0104 0.0067		LOQ (%) ).0284 ).0543 0.018 ).0242 0.013 0.0182 0.0063 0.0172 0.0147 0.0335 0.0371 0.0169 0.0181 0.054 0.054 0.054 0.054	Result (%)       ND	Result (mg/g)       ND       ND  <
C CA CV D DA DV DVA G GA L LA N NA T -THC -THCV -THC	LOD (%) 0.0095 0.0181 0.006 0.0081 0.0043 0.0061 0.0021 0.0057 0.0049 0.0112 0.0124 0.0056 0.006 0.018 0.0104 0.0067 0.0076		LOQ (%) 0.0284 0.0543 0.018 0.0242 0.013 0.0182 0.0063 0.0172 0.0147 0.0335 0.0371 0.0169 0.0181 0.054 0.0181 0.054 0.0181 0.054 0.0181 0.054 0.0181 0.0543 0.0181 0.0182 0.0227	Result (%)       ND       ND       ND       ND       ND       0.871       ND       ND  <	Result (mg/g)       ND       ND  <
alyte GG GGA GCV BD BDA BDV BDVA BDVA GG GGA BL BLA NNA NNA ST -THC -THCV -THCV -THCA	LOD (%) 0.0095 0.0181 0.006 0.0081 0.0043 0.0061 0.0021 0.0057 0.0049 0.0112 0.0124 0.0056 0.006 0.018 0.0104 0.0067 0.0076 0.0084		LOQ (%) 0.0284 0.0543 0.018 0.0242 0.013 0.0182 0.0063 0.0172 0.0172 0.0147 0.0335 0.0371 0.0169 0.0181 0.054 0.0181 0.054 0.0181 0.054 0.0181 0.054 0.0181 0.0543 0.0182 0.0182 0.0182 0.0172 0.0172 0.0172 0.0172 0.0181 0.0181 0.0181 0.0182 0.0182 0.0182 0.0172 0.0172 0.0172 0.0181 0.0181 0.0181 0.0181 0.0182 0.0182 0.0172 0.0172 0.0172 0.0172 0.0181 0.0181 0.0181 0.0182 0.0182 0.0172 0.0172 0.0172 0.0172 0.0172 0.0172 0.0172 0.0181 0.0181 0.0182 0.0181 0.0182 0.0182 0.0172 0.0172 0.0172 0.0172 0.0172 0.0172 0.0181 0.0054 0.0054 0.0054 0.0182 0.0182 0.0054 0.0181 0.0054 0.00277 0.0054 0.00277 0.00277 0.00277 0.00277 0.00277 0.00277 0.00277 0.00277 0.00277 0.00277 0.00277 0.00277 0.00277 0.00257 0.00251	Result (%) ND ND ND ND 0.871 ND ND ND ND ND ND ND ND ND ND ND ND ND	Result (mg/g)       ND       ND  <
alyte GC GCA GCV BD BDA BDV BDVA BDVA GG GGA BL BLA NNA NNA ST -THC -THCV -THCV -THCA -THCV	LOD (%) 0.0095 0.0181 0.006 0.0081 0.0043 0.0061 0.0021 0.0057 0.0049 0.0112 0.0124 0.0056 0.006 0.018 0.0104 0.0067 0.0076 0.0084 0.0069		LOQ (%) 0.0284 0.0543 0.018 0.0242 0.013 0.0182 0.0063 0.0172 0.0172 0.0147 0.0335 0.0371 0.0169 0.0181 0.0054 0.0054 0.0054 0.0054 0.00312 0.0227 0.0227 0.0251 0.0206	Result (%)       ND       O.7       ND       0.425	Result (mg/g)       ND       907       ND       4.25
alyte GC GCA GCV BD BDA BDV BDVA BDVA GG GGA BL BLA NNA NNA ST -THC -THCV -THCV -THCV -THCV -THCVA	LOD (%) 0.0095 0.0181 0.006 0.0081 0.0043 0.0061 0.0021 0.0057 0.0049 0.0112 0.0124 0.0056 0.006 0.018 0.0104 0.0067 0.0076 0.0084 0.0069 0.0069 0.0062		LOQ (%) 0.0284 0.0543 0.018 0.0242 0.013 0.0182 0.0063 0.0172 0.0147 0.0335 0.0371 0.0169 0.0181 0.054 0.0181 0.054 0.0181 0.054 0.0181 0.054 0.0181 0.0227 0.0227 0.0227 0.0251 0.0206 0.0186	Result (%)       ND       O.4225       ND	Result (mg/g)       ND       907       ND       4.25       ND
C CA CV D DA DV DVA G GA L LA N NA T -THC -THCV -THCV -THCV -THCVA D-THCV -THCVADD-THC	LOD (%) 0.0095 0.0181 0.006 0.0081 0.0043 0.0061 0.0021 0.0057 0.0049 0.0112 0.0124 0.0056 0.006 0.018 0.0104 0.0067 0.0076 0.0084 0.0069 0.0062 0.0067		LOQ (%) 0.0284 0.0543 0.018 0.0242 0.013 0.0182 0.0063 0.0172 0.0172 0.0147 0.0335 0.0371 0.0169 0.0181 0.0054 0.0312 0.0227 0.0227 0.0227 0.0251 0.0206 0.0186 0.02	Result (%)       ND       O.4225       ND       ND       ND	Result (mg/g)       ND       Y       ND       Y       ND       Y       ND       Y       ND       Y       ND       Y
alyte C.C.C.A.C.V. D.D.D.D.A.D.V. D.D.D.A.D.V. D.D.V. D.V.A.G. G.G.A. G.G.G.A. G.G.G.G.	LOD (%) 0.0095 0.0181 0.006 0.0081 0.0043 0.0043 0.0061 0.0021 0.0057 0.0049 0.0112 0.0124 0.0056 0.006 0.018 0.0104 0.0067 0.0076 0.0084 0.0069 0.0067 0.0067 0.0067		LOQ (%) 0.0284 0.0543 0.018 0.0242 0.013 0.0182 0.0063 0.0172 0.0172 0.0147 0.0335 0.0371 0.0169 0.0181 0.054 0.0312 0.0227 0.0227 0.0227 0.0251 0.0206 0.0186 0.02 0.02 0.02	Result (%)     ND     0.425     ND     ND     0.824	Result (mg/g)       ND       A25       ND       ND       8.24
alyte GC GCA GCV BD BDA BDV BDVA BDVA GG GGA BL BLA NNA NNA ST -THC -THCV -THCV -THCA -THCV	LOD (%) 0.0095 0.0181 0.006 0.0081 0.0043 0.0061 0.0021 0.0057 0.0049 0.0112 0.0124 0.0056 0.006 0.018 0.0104 0.0067 0.0076 0.0084 0.0069 0.0062 0.0067		LOQ (%) 0.0284 0.0543 0.018 0.0242 0.013 0.0182 0.0063 0.0172 0.0172 0.0147 0.0335 0.0371 0.0169 0.0181 0.0054 0.0312 0.0227 0.0227 0.0227 0.0251 0.0206 0.0186 0.02	Result (%)       ND       O.4225       ND       ND       ND	Result (mg/g)       ND       Y       ND       Y       ND       Y       ND       Y       ND       Y       ND       Y

ND = Not Detected; NT = Not Tested; LOD = Limit of Detection; LOQ = Limit of Quantitation; RL = Reporting Limit; Δ = Delta; Total Δ9-THC = Δ9-THCA \* 0.877 + Δ9-THC; Total CBD = CBDA \* 0.877 + CBD;

Generated By: Ryan Bellone ссо Date: 08/30/2023

Tested By: Scott Caudill Laboratory Manager Date: 08/29/2023



This product or substance has been tested by KCA Laboratories using validated testing methodologies and an ISO/IEC 170252017 accredited quality system. Values reported relate only to the product or substance tested. The reported result is based on a sample weight. Unless otherwise stated, results of tests performed on all quality control samples met criteria for acceptance established by KCA Laboratories KCA Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected amounts of any substances reported herein. This Certificate of Analysis shall not be reproduced except in full, without the written approval of KCA Laboratories. KCA Laboratories and provide measurement uncertainty upon request.



+1-833-KCA-LABS https://kcalabs.com KDA Lic.# P\_0058

### HD9

Heavy Metals Analyte Arsenic Cadmium Lead Mercury	<b>LOD (ppb)</b> 2 1 2 12	LOQ (ppb) 20 20 20 20 20 50	Result (ppb) ND ND ND ND	<b>P/F</b> P P P
Analyte Arsenic		20	ND	
Analyte				
		LOQ (ppb)	Result (ppb)	P/F
leavy Metals	by ICP-MS			
ype: In-Process Mater 1atrix: Concentrate - E Init Mass (g):		Completed: 08/30/2023	LOSDOZ L	LC
Batch: LAC82323	-26519	Received: 08/24/2023	Client	

ND = Not Detected; NT = Not Tested; LOD = Limit of Detection; LOQ = Limit of Quantitation; P = Pass; F = Fail; RL = Reporting Limit

Generated By: Ryan Bellone CCO Date: 08/30/2023

Tested By: Chris Farman

Tested By: Chris Farmar Scientist Date: 08/30/2023



This product or substance has been tested by KCA Laboratories using validated testing methodologies and an ISO/IEC 170252017 accredited quality system. Values reported relate only to the product or substance tested. The reported result is based on a sample weight. Unless otherwise stated, results of tests performed on all quality control samples met criteria for acceptance established by KCA Laboratories. KCA Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected amounts of any substances reported herein. This Certificate of Analysis shall not be reproduced except in full, without the written approval of KCA Laboratories. KCA Laboratories and provide measurement uncertainty upon request.



+1-833-KCA-LABS https://kcalabs.com KDA Lic.# P\_0058

3 of 5

#### HD9

Sample ID: SA-230830-26519 Batch: LAC82323 Type: In-Process Material Matrix: Concentrate - Distillate Unit Mass (g):

Received: 08/24/2023 Completed: 08/30/2023

Client LOSDOZ LLC

# Pesticides by LC-MS/MS

Analyte	LOD (ppb)	LOQ (ppb)	Result (ppb)	P/F	Analyte	LOD (ppb)	LOQ (ppb)	Result (ppb)	P/F
Acephate	30	100	ND	Р	Hexythiazox	30	100	ND	Р
Acetamiprid	30	100	ND	Р	Imazalil	30	100	ND	Р
Aldicarb	30	100	ND	Р	Imidacloprid	30	100	ND	Р
Azoxystrobin	30	100	ND	Р	Kresoxim methyl	30	100	ND	Р
Bifenazate	30	100	ND	Р	Malathion	30	100	ND	Р
Bifenthrin	30	100	ND	Р	Metalaxyl	30	100	ND	Р
Boscalid	30	100	ND	P	Methiocarb	30	100	ND	Р
Carbaryl	30	100	ND	Р	Methomyl	30	100	ND	Р
Carbofuran	30	100	ND	Р	Mevinphos	30	100	ND	Р
Chloranthraniliprole	30	100	ND	Р	Myclobutanil	30	100	ND	Р
Chlorfenapyr	30	100	ND	Р	Naled	30	100	ND	Р
Chlorpyrifos	30	100	ND	Р	Oxamyl	30	100	ND	Р
Clofentezine	30	100	ND	Р	Paclobutrazol	30	100	ND	Р
Coumaphos	30	100	ND	Р	Permethrin	30	100	ND	Р
Daminozide	30	100	ND	Р	Phosmet	30	100	ND	Р
Diazinon	30	100	ND	Р	Piperonyl Butoxide	30	100	ND	Р
Dichlorvos	30	100	ND	Р	Propiconazole	30	100	ND	Р
Dimethoate	30	100	ND	Р	Propoxur	30	100	ND	Р
Dimethomorph	30	100	ND	Р	Pyrethrins	30	100	ND	Р
Ethoprophos	30	100	ND	Р	Pyridaben	30	100	ND	Р
Etofenprox	30	100	ND	Р	Spinetoram	30	100	ND	Р
Etoxazole	30	100	ND	Р	Spinosad	30	100	ND	Р
Fenhexamid	30	100	ND	Р	Spiromesifen	30	100	ND	Р
Fenoxycarb	30	100	ND	Р	Spirotetramat	30	100	ND	Р
Fenpyroximate	30	100	ND	Р	Spiroxamine	30	100	ND	Р
Fipronil	30	100	ND	P	Tebuconazole	30	100	ND	Р
Flonicamid	30	100	ND	Р	Thiacloprid	30	100	ND	Р
Fludioxonil	30	100	ND	P	Thiamethoxam	30	100	ND	Р
					Trifloxystrobin	30	100	ND	Р

ND = Not Detected; NT = Not Tested; LOD = Limit of Detection; LOQ = Limit of Quantitation; P = Pass; F = Fail; RL = Reporting Limit

Generated By: Ryan Bellone CCO Date: 08/30/2023

Huns Tested By: Jasper van Heemst

Fested By: Jasper van Heems Principal Scientist Date: 08/29/2023



This product or substance has been tested by KCA Laboratories using validated testing methodologies and an ISO/IEC 170252017 accredited quality system. Values reported relate only to the product or substance tested. The reported result is based on a sample weight. Unless otherwise stated, results of tests performed on all quality control samples met criteria for acceptance established by KCA Laboratories. KCA Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected amounts of any substances reported herein. This Certificate of Analysis shall not be reproduced except in full, without the written approval of KCA Laboratories. KCA Laboratories can provide measurement uncertainty upon request.



+1-833-KCA-LABS https://kcalabs.com KDA Lic.# P\_0058

4 of 5

#### HD9

Sample ID: SA-230830-26519 Batch: LAC82323 Type: In-Process Material Matrix: Concentrate - Distillate Unit Mass (g):

Received: 08/24/2023 Completed: 08/30/2023

Client LOSDOZ LLC

# **Residual Solvents by HS-GC-MS**

Analyte	LOD (ppm)	LOQ (ppm)	Result (ppm)	P/F	Analyte	LOD (ppm)	LOQ (ppm)	Result (ppm)	P/F
Acetone	167	500	ND	Р	Ethylene Glycol	21	62	ND	Р
Acetonitrile	14	41	ND	Р	Ethylene Oxide	0.5	1	ND	Р
Benzene	0.5	1	ND	Р	Heptane	167	500	ND	Р
Butane	167	500	ND	Р	n-Hexane	10	29	ND	Ρ
1-Butanol	167	500	ND	Р	Isobutane	167	500	ND	Р
2-Butanol	167	500	ND	Р	Isopropyl Acetate	167	500	ND	Р
2-Butanone	167	500	ND	Р	Isopropyl Alcohol	167	500	ND	Р
Chloroform	2	6	ND	P	Isopropylbenzene	167	500	ND	Ρ
Cyclohexane	129	388	ND	Р	Methanol	100	300	ND	Р
1,2-Dichloroethane	0.5	1	ND	Ρ	2-Methylbutane	10	29	ND	Р
1,2-Dimethoxyethane	4	10	ND	Р	Methylene Chloride	20	60	ND	Р
Dimethyl Sulfoxide	167	500	ND	Р	2-Methylpentane	10	29	ND	Р
N,N-Dimethylacetamide	37	109	ND	Р	3-Methylpentane	10	29	ND	Р
2,2-Dimethylbutane	10	29	ND	Р	n-Pentane	167	500	ND	Р
2,3-Dimethylbutane	10	29	ND	Р	1-Pentanol	167	500	ND	Р
N,N-Dimethylformamide	30	88	ND	Р	n-Propane	167	500	ND	Р
2,2-Dimethylpropane	167	500	ND	Р	1-Propanol	167	500	ND	Р
1,4-Dioxane	13	38	ND	Р	Pyridine	7	20	ND	Р
Ethanol	167	500	ND	Р	Tetrahydrofuran	24	72	ND	Р
2-Ethoxyethanol	6	16	ND	Р	Toluene	30	89	ND	Р
Ethyl Acetate	167	500	ND	Р	Trichloroethylene	3	8	ND	Ρ
Ethyl Ether	167	500	ND	Р	Tetramethylene Sulfone	6	16	ND	Ρ
Ethylbenzene	3	7	ND	Р	Xylenes (o-, m-, and p-)	73	217	ND	Р

ND = Not Detected; NT = Not Tested; LOD = Limit of Detection; LOQ = Limit of Quantitation; P = Pass; F = Fail; RL = Reporting Limit



Generated By: Ryan Bellone CCO Date: 08/30/2023

Tested By: Scott Caudill Laboratory Manager Date: 08/25/2023



This product or substance has been tested by KCA Laboratories using validated testing methodologies and an ISO/IEC 170252017 accredited quality system. Values reported relate only to the product or substance tested. The reported result is based on a sample weight. Unless otherwise stated, results of tests performed on all quality control samples met criteria for acceptance established by KCA Laboratories. KCA Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected amounts of any substances reported herein. This Certificate of Analysis shall not be reproduced except in full, without the written approval of KCA Laboratories. KCA Laboratories and provide measurement uncertainty upon request.



+1-833-KCA-LABS https://kcalabs.com KDA Lic.# P\_0058

5 of 5

#### HD9

Sample ID: SA-230830-26519 Batch: LAC82323 Type: In-Process Material Matrix: Concentrate - Distillate Unit Mass (g):

Received: 08/24/2023 Completed: 08/30/2023 Client LOSDOZ LLC

# **Reporting Limit Appendix**

Heavy Metals - Colorado CDPHE

Analyte	Limit (ppb) Analyte	Limit (ppb)
Arsenic	1500 Lead	500
Cadmium	500 Mercury	1500

## Residual Solvents - USP 467

Analyte	Limit (ppm)	Analyte	Limit (ppm)
Acetone	5000	Ethylene Glycol	620
Acetonitrile	410	Ethylene Oxide	1
Benzene	2	Heptane	5000
Butane	5000	n-Hexane	290
1-Butanol	5000	Isobutane	5000
2-Butanol	5000	Isopropyl Acetate	5000
2-Butanone	5000	Isopropyl Alcohol	5000
Chloroform	60	Isopropylbenzene	5000
Cyclohexane	3880	Methanol	3000
1,2-Dichloroethane	5	2-Methylbutane	290
1,2-Dimethoxyethane	100	Methylene Chloride	600
Dimethyl Sulfoxide	5000	2-Methylpentane	290
N,N-Dimethylacetamide	1090	3-Methylpentane	290
2,2-Dimethylbutane	290	n-Pentane	5000
2,3-Dimethylbutane	290	1-Pentanol	5000
N,N-Dimethylformamide	880	n-Propane	5000
2,2-Dimethylpropane	5000	1-Propanol	5000
1,4-Dioxane	380	Pyridine	200
Ethanol	5000	Tetrahydrofuran	720
2-Ethoxyethanol	160	Toluene	890
Ethyl Acetate	5000	Trichloroethylene	80
Ethyl Ether	5000	Tetramethylene Sulfone	160
Ethylbenzene	70	Xylenes (o-, m-, and p-)	2170

#### Pesticides - CA DCC

Analyte			
Analyte	Limit (ppb)	Analyte	Limit (ppb)
Chloranthraniliprole	40000	Myclobutanil	9000
Chlorfenapyr	30	Naled	500
Chlorpyrifos	30	Oxamyl	200
Clofentezine	500	Paclobutrazol	30
Coumaphos	30	Permethrin	20000
Daminozide	30	Phosmet	200
Diazinon	200	Piperonyl Butoxide	8000
Dichlorvos	30	Propiconazole	20000
Dimethoate	30	Propoxur	30
Dimethomorph	20000	Pyrethrins	1000
Ethoprophos	30	Pyridaben	3000
Etofenprox	30	Spinetoram	3000
Etoxazole	1500	Spinosad	3000
Fenhexamid	10000	Spiromesifen	12000
Fenoxycarb	30	Spirotetramat	13000
Fenpyroximate	2000	Spiroxamine	30
Fipronil	30	Tebuconazole	2000
Flonicamid	2000	Thiacloprid	30
Fludioxonil	30000	Thiamethoxam	4500

#### Pesticides - CA DCC

Analyte	Limit (ppb)	Analyte	Limit (ppb)
Acephate	5000	Hexythiazox	2000
Acetamiprid	5000	Imazalil	30
Aldicarb	30	Imidacloprid	3000
Azoxystrobin	40000	Kresoxim methyl	1000
Bifenazate	5000	Malathion	5000
Bifenthrin	500	Metalaxyl	15000
Boscalid	10000	Methiocarb	30
Carbaryl	500	Methomyl	100
Carbofuran	30	Mevinphos	30



This product or substance has been tested by KCA Laboratories using validated testing methodologies and an ISO/IEC 170252017 accredited quality system. Values reported relate only to the product or substance tested. The reported result is based on a sample weight. Unless otherwise stated, results of tests performed on all quality control samples met criteria for acceptance established by KCA Laboratories. KCA Laboratories with any detected or non-detected amounts of any substances reported herein. This Certificate of Analysis shall not be reproduced except in full, without the written approval of KCA Laboratories. KCA Laboratories measurement uncertainty upon request.